PATENT COOPERATION TREATY

From the INTERNATIONAL SEARCHING AUTHORITY

PCT

FISH & RICHARDSON P.C.

To:

Attn. Thompson, Dwight U. P.O. Box 1022

Minneapolis MN 55440-1022 UNITED STATES OF AMERICA NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL SEARCH REPORT AND THE WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY, OR THE DECLARATION

(PCT Rule 44.1)

Date of mailing (day/month/year) 17/03/2006

Applicant's or agent's file reference 09991-191W01

International application No. International filing date (day/month/year) 04/11/2005

Applicant

DIMATRIX, INC.

1. X The applicant is hereby notified that the international search report and the written opinion of the International Searching Authority have been established and are transmitted herewith.

Filing of amendments and statement under Article 19:

The applicant is entitled, if he so wishes, to amend the claims of the International Application (see Rule 46):

When? The time limit for filing such amendments is normally two months from the date of transmittal of the International Search Report.

Where? Directly to the International Bureau of WIPO, 34 chemin des Colombettes 1211 Geneva 20, Switzerland, Fascimile No.: (41–22) 338.82.70

For more detailed instructions, see the notes on the accompanying sheet.

2. The applicant is hereby notified that no international search report will be established and that the declaration under Article 17(2)(a) to that effect and the written opinion of the International Searching Authority are transmitted herewith.

3. With regard to the protest against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that:

the protest together with the decision thereon has been transmitted to the International Bureau together with the applicant's request to forward the texts of both the protest and the decision thereon to the designated Offices.

no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.

4. Reminders

Shortly after the expiration of **18 months** from the priority date, the international application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the international application, or of the priority claim, must reach the International Bureau as provided in Rules 90*bis*.1 and 90*bis*.3, respectively, before the completion of the technical preparations for international publication.

The applicant may submit comments on an informal basis on the written opinion of the International Searching Authority to the International Bureau. The International Bureau will send a copy of such comments to all designated Offices unless an international preliminary examination report has been or is to be established. These comments would also be made available to the public but not before the expiration of 30 months from the priority date.

Within 19 months from the priority date, but only in respect of some designated Offices, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase until 30 months from the priority date (in some Offices even later); otherwise, the applicant must. within 20 months from the priority date, perform the prescribed acts for entry into the national phase before those designated Offices.

In respect of other designated Offices, the time limit of **30 months** (or later) will apply even if no demand is filed within 19 months.

See the Annex to Form PCT/IB/301 and, for details about the applicable time limits, Office by Office, see the PCT Applicant's Guide, Volume II, National Chapters and the WIPO Internet site.

Name and mailing address of the International Searching Authority

European Patent Office, P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,

Fax: (+31-70) 340-3016

Authorized officer

Johannes Van Brummelen

NOTES TO FORM PCT/ISA/220

These Notes are intended to give the basic instructions concerning the filing of amendments under article 19. The Notes are based on the requirements of the Patent Cooperation Treaty, the Regulations and the Administrative Instructions under that Treaty. In case of discrepancy between these Notes and those requirements, the latter are applicable. For more detailed information, see also the *PCT Applicant's Guide*, a publication of WIPO.

In these Notes, "Article", "Rule", and "Section" refer to the provisions of the PCT, the PCT Regulations and the PCT Administrative Instructions, respectively.

INSTRUCTIONS CONCERNING AMENDMENTS UNDER ARTICLE 19

The applicant has, after having received the international search report and the written opinion of the International Searching Authority, one opportunity to amend the claims of the international application. It should however be emphasized that, since all parts of the international application (claims, description and drawings) may be amended during the international preliminary examination procedure, there is usually no need to file amendments of the claims under Article 19 except where, e.g. the applicant wants the latter to be published for the purposes of provisional protection or has another reason for amending the claims before international publication. Furthermore, it should be emphasized that provisional protection is available in some States only (see *PCT Applicant's Guide*, Volume I/A, Annexes B1 and B2).

The attention of the applicant is drawn to the fact that amendments to the claims under Article 19 are not allowed where the International Searching Authority has declared, under Article 17(2), that no international search report would be established (see *PCT Applicant's Guide*, Volume I/A, paragraph 296).

What parts of the international application may be amended?

Under Article 19, only the claims may be amended.

During the international phase, the claims may also be amended (or further amended) under Article 34 before the International Preliminary Examining Authority. The description and drawings may only be amended under Article 34 before the International Examining Authority.

Upon entry into the national phase, all parts of the international application may be amended under Article 28 or, where applicable, Article 41.

When?

Within 2 months from the date of transmittal of the international search report or 16 months from the priority date, whichever time limit expires later. It should be noted, however, that the amendments will be considered as having been received on time if they are received by the International Bureau after the expiration of the applicable time limit but before the completion of the technical preparations for international publication (Rule 46.1).

Where not to file the amendments?

The amendments may only be filed with the International Bureau and not with the receiving Office or the International Searching Authority (Rule 46.2).

Where a demand for international preliminary examination has been/is filed, see below.

How?

Either by cancelling one or more entire claims, by adding one or more new claims or by amending the text of one or more of the claims as filed.

A replacement sheet must be submitted for each sheet of the claims which, on account of an amendment or amendments, differs from the sheet originally filed.

All the claims appearing on a replacement sheet must be numbered in Arabic numerals. Where a claim is cancelled, no renumbering of the other claims is required. In all cases where claims are renumbered, they must be renumbered consecutively (Section 205(b)).

The amendments must be made in the language in which the international application is to be published.

What documents must/may accompany the amendments?

Letter (Section 205(b)):

The amendments must be submitted with a letter.

The letter will not be published with the international application and the amended claims. It should not be confused with the "Statement under Article 19(1)" (see below, under "Statement under Article 19(1)").

The letter must be in English or French, at the choice of the applicant. However, if the language of the international application is English, the letter must be in English; if the language of the international application is French, the letter must be in French.

PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference	see Form PCT/ISA/220					
09991-191WO1	ACTION as well		as, where applicable, item 5 below.			
International application No.	International filing date (day/month/year) (Earliest) Priority D		(Earliest) Priority Date (day/month/year)			
PCT/US2005/040288	04/11/2005 05/11/2004					
Applicant						
DIMATRIX, INC.						
This international search report has been according to Article 18. A copy is being tra			ority and is transmitted to the applicant			
This international search report consists o	of a total ofshe	ets.				
X It is also accompanied by	a copy of each prior art document of	ited in this	report.			
Basis of the report						
a. With regard to the language, the						
	application in the language in which einternational application into					
of a translation fu	rnished for the purposes of internati	onal searc	h (Rules 12.3(a) and 23.1(b))			
b. With regard to any nucleo	otide and/or amino acid sequence	disclosed	in the international application, see Box No. I.			
2. Certain claims were fou	nd unsearchable (See Box No. II)					
3. Unity of invention is lac	3. Unity of invention is lacking (see Box No III)					
4. With regard to the title ,						
X the text is approved as su	bmitted by the applicant					
the text has been establis	the text has been established by this Authority to read as follows:					
]						
İ						
}						
}						
{						
5. With regard to the abstract,						
X the text is approved as submitted by the applicant						
the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box No. IV. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority						
6. With regard to the drawings,						
a. the figure of the drawings to be published with the abstract is Figure No. <u>11a</u>						
X as suggested by the applicant						
	is Authority, because the applicant f					
	d by this Authority, because this figure better characterizes the invention is to be published with the abstract					

INTERNATIONAL SEARCH REPORT

International application No PCT/US2005/040288

A. CLASSIFICATION OF SUBJECT MATTER B41J2/045

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) $B41J\,$

Documentation searched other than minimum documentation to the extent that such documents are included in the tields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, WPI Data

C.	DOCUMENTS	CONSIDERED TO	BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 2004/000560 A (RICOH COMPANY, LTD; AOKI, SUMIAKI) 31 December 2003 (2003-12-31) page 6, line 20 - page 8, line 25 page 28, line 7 - page 43, line 1	1-3, 5-11, 13-23
X	PATENT ABSTRACTS OF JAPAN vol. 2000, no. 16, 8 May 2001 (2001-05-08) & JP 2001 010035 A (SEIKO EPSON CORP), 16 January 2001 (2001-01-16) abstract	1,13,20
X	PATENT ABSTRACTS OF JAPAN vol. 007, no. 145 (M-224), 24 June 1983 (1983-06-24) & JP 58 055253 A (RICOH KK), 1 April 1983 (1983-04-01) abstract	1,13,20

<u></u>	<u>'</u>				
X Further documents are listed in the continuation of Box C.	X See patent family annex.				
Special categories of cited documents A* document defining the general state of the art which is not considered to be of particular relevance E* earlier document but published on or after the international filing date C* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) O* document reterring to an oral disclosure, use, exhibition or other means P* document published prior to the international filing date but later than the priority date claimed	 'T' later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention 'X' document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone 'Y' document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art '8' document member of the same patent family 				
Date of the actual completion of the international search	Date of mailing of the international search report				
7 March 2006	17/03/2006				
Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel (+31-70) 340-2040, Tx. 31 651 epo nl. Fax (+31-70) 340-3016	Authorized officer Van Oorschot, J				

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2005/040288

<u> </u>	tion). DOCUMENTS CONSIDERED TO BE RELEVANT	
itegory*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
(EP 0 810 097 A (CITIZEN WATCH CO., LTD) 3 December 1997 (1997-12-03) column 11, line 1 - column 12, line 23 column 19, line 21 - line 30	1,13,20
(EP 0 375 147 A (AM INTERNATIONAL INCORPORATED) 27 June 1990 (1990-06-27) column 8, line 46 - column 9, line 43; figure 9	1,13,20
X	EP 0 919 382 A (SONY CORPORATION) 2 June 1999 (1999-06-02) paragraphs '0138! - '0142!, '0157! - '0161!; figures 19,20	1,13,20
A	US 2003/160836 A1 (FUKANO TAKAKAZU ET AL) 28 August 2003 (2003-08-28) paragraphs '0009!, '0011!, '0065!, '0068!, '0072!, '0081! - '0085!, '0092! - '0094!	1,13,20
A	PATENT ABSTRACTS OF JAPAN vol. 015, no. 223 (E-1075), 7 June 1991 (1991-06-07) & JP 03 065069 A (TOTO LTD), 20 March 1991 (1991-03-20) abstract	1,13,20

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No
PCT/US2005/040288

Patent document cited in search report		Publication date		Patent family member(s)		Publication date
WO 2004000560	A	31-12-2003	CN EP JP US	1662379 1515854 2004025510 2005237350	A1 A	31-08-2005 23-03-2005 29-01-2004 27-10-2005
JP 2001010035	Α	16-01-2001	JP	3669210	B2	06-07-2005
JP 58055253	Α	01-04-1983	NONE			
EP 0810097	A	03-12-1997	DE DE WO US	69601927 69601927 9718953 5984448	T2 A1	06-05-1999 09-09-1999 29-05-1997 16-11-1999
EP 0375147	Α	27-06-1990	CA JP US	2004891 2215537 5138333	Α	19-06-1990 28-08-1990 11-08-1992
EP 0919382	Α	02-06-1999	NONE			
US 2003160836	A1	28-08-2003	NONE			
JP 03065069	Α	20-03-1991	NONE			

PATENT COOPERATION TREATY

INTERNATIONAL SEARCHING AUTHORITY To: WRITTEN OPINION OF THE see form PCT/ISA/220 INTERNATIONAL SEARCHING AUTHORITY (PCT Rule 43bis.1) Date of mailing (day/month/year) see form PCT/ISA/210 (second sheet) Applicant's or agent's file reference FOR FURTHER ACTION see form PCT/ISA/220 See paragraph 2 below International filing date (day/month/year) Priority date (day/month/year) International application No. PCT/US2005/040288 04.11.2005 05.11.2004 International Patent Classification (IPC) or both national classification and IPC B41J2/045 Applicant DIMATRIX, INC. This opinion contains indications relating to the following items: 1. Box No. I Basis of the opinion ☐ Box No. II Priority ☐ Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability ☐ Box No. IV Lack of unity of invention Box No. V Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability: citations and explanations supporting such statement Box No. VI Certain documents cited ☐ Box No. VII Certain defects in the international application Box No. VIII Certain observations on the international application 2. **FURTHER ACTION** If a demand for international preliminary examination is made, this opinion will usually be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA"). However, this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notifed the International Bureau under Rule 66.1 bis(b) that written opinions of this International Searching Authority will not be so considered. If this opinion is, as provided above, considered to be a written opinion of the IPEA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of three months from the date of mailing of Form PCT/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later. For further options, see Form PCT/ISA/220. For further details, see notes to Form PCT/ISA/220.

<u>)</u>))

From the

European Patent Office - P B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel +31 70 340 - 2040 Tx. 31 651 epo nl Fax +31 70 340 - 3016 Authorized Officer

Van Oorschot, J

Telephone No +31 70 340-3044



Name and mailing address of the ISA:

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

International application No. PCT/US2005/040288

_	Box N	o. I Basis of the opinion
	DOX IV	o. i dasis of the opinion
1.		egard to the language , this opinion has been established on the basis of the international application in guage in which it was filed, unless otherwise indicated under this item.
	lai	nis opinion has been established on the basis of a translation from the original language into the following nguage , which is the language of a translation furnished for the purposes of international search nder Rules 12.3 and 23.1(b)).
2.		egard to any nucleotide and/or amino acid sequence disclosed in the international application and sary to the claimed invention, this opinion has been established on the basis of:
	a. type	of material:
		a sequence listing
		table(s) related to the sequence listing
	b. form	nat of material:
		in written format
		in computer readable form
	c. time	of filing/furnishing:
		contained in the international application as filed.
		filed together with the international application in computer readable form.
		furnished subsequently to this Authority for the purposes of search.
3.	ha co	addition, in the case that more than one version or copy of a sequence listing and/or table relating thereto as been filed or furnished, the required statements that the information in the subsequent or additional spies is identical to that in the application as filed or does not go beyond the application as filed, as oppropriate, were furnished.
4.	Additio	nal comments:

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

International application No. PCT/US2005/040288

Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or Box No. V industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

4,12

No: Claims 1-3,5-11,13-23

Inventive step (IS)

Yes: Claims

4,12

Claims No:

1-3,5-11,13-23

Industrial applicability (IA)

Yes: Claims

1-23

No: Claims

2. Citations and explanations

see separate sheet

Re Item V.

1. Reference is made to the following documents:

D1: WO 2004/000560A

D2: JP2001010035A

D3: JP58055253A

D4: EP810097A

D5: EP375147A

D6: EP919382A

2.1 D1 shows a method of controlling a droplet ejection device comprising a switch (85/ASN page 29 line 22) that selectively couples a waveform input signal (Vcom / 77 / fig11A: P1-P2-P3) to a piezoelectric actuator (HN/52), the method comprising: during a droplet firing period (T0-T1-T2-T3), controlling the switch (85/ASN) to drive the piezoelectric actuator (HN/52) with the waveform input signal (Vcom: P1-P2-P3); and

during a non-firing period (T3-T4; page 41 lines 22-25), controlling the switch (85/ASN) to drive the piezoelectric actuator (HN/52) with a constant voltage level (P31: page 41 lines 6-13: although the duration of re-charging by the flat level Vb becomes short, it is present during period T3-T4; alternatively page 31 lines 17-19), cf claim 1;

wherein controlling the switch (85/ASN) is performed using two different control signals (ink ejection data D0-D1 and control signal CS including gate signals M0N-M1N-M2N-M3N), cf claim 2;

comprising using a channel control signal (Vh11/Vh10/Vh01 or M3N/M2N/M1N) to control the switch (85/ASN) to drive the piezoelectric actuator (HN/52) with the waveform input signal (P1/P2/P3) and using a clamp control signal (Vh00 or M0N) to control the switch (85/ASN) to drive the piezoelectric actuator (HN/52) with the constant voltage level (flat Vb part of Vh00 fig 11E), cf claim 3;

wherein the clamp control signal (flat Vb part of Vh00 fig 11E) prevents charge from leaking from the piezoelectric actuator (HN/52) when the droplet ejection device is off (at least during this time), cf claim 5;

comprising selecting either the channel control signal (Vh11/Vh10/Vh01 or M3N/M2N/M1N) or the clamp control signal (flat Vb part of Vh00 fig 11E) to prevent

piezoelectric voltage drift, cf claim 6;

wherein the channel control signal (M3N/M2N/M1N) and the clamp control signal (M0N) further control a plurality switches (G0,G1,G2,G3,G4/ASN), cf claim 7; wherein the plurality of switches comprise binary-weighted switches, cf claim 8; comprising logically combining the channel control signal (M3N/M2N/M1N) and the clamp control signal (M0N) to generate a single drive signal (in signal line from LSN to ASN) for controlling the switch (ASN), cf claim 9; comprising connecting the channel control signal (M3N/M2N/M1N) and the clamp control signal (M0N) to input terminals of an OR gate (G4), cf claim 10;.

wherein an output terminal of the OR gate (G4) comprises a single drive signal (in

D1 like wise shows an apparatus for a droplet ejection device comprising: a piezoelectric actuator (HN/52);

signal line from LSN to ASN) for controlling the switch (ASN), cf claim 11.

a switch (85/ASN) to selectively couple a waveform input signal (Vcom) with the piezoelectric actuator (HN/52); and

a controller (figs 7-8) configured to control the switch (85/ASN) to drive the piezoelectric actuator (HN/52) with the waveform input signal (Vcom / 77 / fig11A: P1-P2-P3) during a droplet firing period (T0-T1-T2-T3) and drive the piezoelectric actuator (HN/52) with a constant voltage level (P31: page 41 lines 6-13: although the duration of re-charging by the flat level Vb becomes short, it is present during period T3-T4; alternatively page 31 lines 17-19) during a non-firing droplet period (T3-T4), cf claim 13;

wherein the switch (ASN) comprises an input terminal (fig 8) to connect with the waveform input signal (Vcom/77), an output terminal (fig 8) to couple with the piezoelectric actuator (HN), a control signal terminal (G4-LSN-ASN) to control an electrical connection of the switch (ASN) using a first control signal (M3N/M2N/M1N) or a second control signal (M0N), wherein the waveform input signal comprises the constant voltage level (P31) when the second control signal (M0N) controls the switch (ASN), cf claim 14;.

wherein the controller (in particular DCN/84) is coupled with the control signal terminal of the switch (ASN/85), and wherein the controller uses the first control signal (M3N/M2N/M1N) and the second control signal (M0N) to control the switch (ASN), cf claim 15;

wherein the controller comprises an OR gate (G4) to logically connect the first control signal or the second control signal to the control signal terminal of the switch (ASN), cf claim 16;

wherein a first input of the OR gate (G4) is coupled to the first control signal (M3N/M2N/M1N), a second input of the OR gate (G4) is coupled to the second control signal (M0N), and an output of the OR gate (G4) is coupled to the control signal terminal of the switch (ASN), cf claim 17;

wherein the second control signal (M0N) controls the electrical connection of the switch (ASN) during non-firing droplet periods (T3-T4) of the droplet ejection device, of claim 18:

wherein the first control signal (M3N/M2N/M1N) controls the electrical connection of the switch (ASN) during firing periods (T0-T1-T2-T3) of the droplet ejection device, cf claim 19;

D1 also shows a system to prevent voltage drift on a piezoelectric actuator (HN/52) of an inkjet printer, the system comprising:

a waveform driving circuit (77) to drive a voltage waveform (Vcom);

a switch (ASN/85) to electrically connect the waveform driving circuit (77) with the piezoelectric actuator (HN/52); and

a controller (figs 7/8) to control the switch (HN/52) during an ink ejection phase (T0-T1-T2-T3) and a non-ink ejection phase (T3-T4), wherein the waveform driving circuit drives a constant voltage waveform (P31: page 41 lines 6-13: although the duration of re-charging by the flat level Vb becomes short, it is present during period T3-T4; alternatively page 31 lines 17-19) during the non-ink ejection phase (T3-T4), cf claim 20.

wherein the controller is configured to electrically connect the waveform driving circuit (77) at an input of the switch (ASN) with the piezoelectric actuator (HN) at an output of the switch during the ink ejection phase (T0-T1-T2-T3) and during the non-ink ejection phase (T3-T4), cf claim 21;

wherein the controller comprises a first control signal (M3N/M2N/M1N) to control when the switch (ASN) is electrically connecting the piezoelectric actuator (HN/52) with the voltage waveform from the waveform driving circuit (77), cf claim 22. wherein the controller comprises a second control signal (M0N) to control the switch (ASN) to electrically connect the waveform driving circuit (77) at an input of the switch

(ASN) with the piezoelectric actuator (HN/52) at an output of the switch (ASN) during the non-ink ejection phase (T3-T4), cf claim 23.

- 2.2 Also D2-D6 show at least the all the features of independent claims 1,13 and 20, see indications n the Search Report.
- 2.3 Therefore, the present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of claims 1-3,5-11 and 13-23 is not new in the sense of Article 33(2) PCT.
- 3. In case the independent claims 1,13 and 20 would be considered or amended to include "during the <u>complete</u> non-firing period, controlling the switch to drive the piezoelectric actuator with a constant voltage level", then these claims would be considered not inventive, Art 33(2) PCT.
 - D1 refers on page 8 to D2 which selects a constant "bias level" Vm for a period T5 to T6. Likewise D3,D4,D5 and D6 use constant voltage levels for recharging. It must therefore be considered evident for a skilled person that also in D1 a constant voltage level would be a solution.
- 4. The combined features of claim 4 (plus 3): "wherein the clamp control signal prevents charge from accumulating on the piezoelectric actuator when the droplet ejection device is off" and of claim 12: "wherein the voltage on the piezoelectric actuator is at a midrange between a ground potential and a supply potential during the non-firing period" are not known from the available documents.
 In particular in D1 only decharging from Vb downwards is prevented, and the voltage is kept near or at Vb thus not at a midrange.

Therefore such claim is considered as involving an inventive step (Article 33(3) PCT.

EUROPEAN PATENT OFFICE

Patent Abstracts of Japan

PUBLICATION NUMBER

2001010035

PUBLICATION DATE

16-01-01

APPLICATION DATE

25-06-99

APPLICATION NUMBER

11179902

APPLICANT:

SEIKO EPSON CORP;


INVENTOR: ASAUCHI NOBORU;

INT.CL.

B41J 2/045 B41J 2/055

TITLE

INK JET RECORDER



ABSTRACT: PROBLEM TO BE SOLVED: To provide an ink jet recorder capable of charging at an arbitrary timing to supplement natural discharging occurring at a pressure generating element.

> SOLUTION: In the ink jet recorder, a head driving circuit 7 outputs a signal for applying an intermediate potential Vm to a pressure generating element 17 by selecting the potential Vm from a drive signal COM selectively for a period T5 to T6 to the element 17 (a pressure generating element 17 not discharging an ink droplet and a pressure generating element 17 for discharging an ink droplet having a large dot) charged to a potential coincident with the potential Vm of the signal COM, for example, for T5 to T6 of the elements 17. As a result, a potential of the element in which the potential is lowered from the potential Vm by natural discharging can be restored.

COPYRIGHT: (C)2001, JPO

EUROPEAN PATENT OFFICE

Patent Abstracts of Japan

PUBLICATION NUMBER

58055253

PUBLICATION DATE

01-04-83

APPLICATION DATE APPLICATION NUMBER 29-09-81 56155495

APPLICANT: RICOH CO LTD;

INVENTOR:

ISAYAMA TAKUO;

INT.CL.

B41J 3/04


TITLE

DRIVING METHOD FOR

ELECTROSTRICTION VIBRATOR IN

INK JET RECORDER







ABSTRACT :

PURPOSE: To enable the reduction in a voltage-withstand of an electrostriction vibrator and to enable the dense arrangement and miniaturization of heads, by a method wherein a bias displacement is applied to an electrostriction vibrator at a non-recording and waiting time, and the electrostriction vibrator is brought into a displacement action from a bias displacement state when a recording takes place.

CONSTITUTION: A bias voltage of -E volt is applied to an electrostriction vibrator 4 at a non-recording and waiting time, and with this the electrostriction vibrator 4 is displaced so that an ink liquid chamber 3 is increased in a capacity. If, at a recording time, a pulse voltage, corresponding to a printing information signal, is applied to an input terminal of an electrostriction vibrator drive circuit, the electrostriction vibrator suddenly changes and is brought into a stat to allow the liquid chamber 3 to be reduced in the capacity, and ink drops are jetted through a nozzle hole 2.

COPYRIGHT: (C)1983,JPO&Japio

EUROPEAN PATENT OFFICE

Patent Abstracts of Japan

PUBLICATION NUMBER

03065069

PUBLICATION DATE

20-03-91

APPLICATION DATE

03-08-89

APPLICATION NUMBER

01201797

APPLICANT: TOTO LTD;

INVENTOR: INOUE SHOJI:


INT.CL.


H02N 2/00 H01L 41/09

TITLE

DRIVER OF PIEZOELECTRIC

ACTUATOR





ABSTRACT: PURPOSE: To accurately control the output displacement of a piezoelectric actuator accurately by charging the piezoelectric actuator with a constant current or discharging the actuator and by increasing and decreasing the potential of the actuator through charge or discharge to a target potential corresponding to a desired output displacement.

> CONSTITUTION: An apparatus is equipped with a drive circuit 2 for charging a piezoelectric actuator 1 with a constant current or discharging the actuator, and the output of a central control unit (CPU) 3 for controlling the output of the drive circuit 2 via current control signal for controlling a charge or discharge time is connected with the input of the drive circuit 2. The apparatus is further equipped with a potential detection circuit 4 for detecting the potential of the piezoelectric actuator 1. Then, the potential of the piezoelectric actuator 1 is increased or decreased by charging the actuator with a constant current or discharging it to a target potential corresponding to a desired output displacement. In this manner, the variation of an output displacement due to the leakage of electric charge can be compensated and the accurate control of the piezoelectric actuator 1 is made possible.

COPYRIGHT: (C)1991, JPO& Japio

BNSDCCID -JP 403065069A A.L +

(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 31 December 2003 (31.12.2003)

PCT

(10) International Publication Number WO 2004/000560 A1

(51) International Patent Classification7:

B41J 2/045

(21) International Application Number:

PCT/JP2003/007882

(22) International Filing Date:

20 June 2003 (20.06,2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

2002-182284

24 June 2002 (24.06.2002)

(71) Applicant (for all designated States except US): RICOH COMPANY, LTD, [JP/JP]; 3-6, Nakamagome 1-chome, Ohta-ku, Tokyo 143-8555 (JP).

- (72) Inventor; and
- (75) Inventor/Applicant (for US only): AOKI, Sumiaki

JJP/JPI; 1475-3-202. Shinoharacho, Kouhoku-ku, Yokohama-shi, Kanagawa 222-0026 (JP).


- (74) Agent: ITOH, TADAHIKO: 32nd Floor, Yebisu Garden Place Tower, 20-3, Ebisu 4-chome, Shibuya-ku, Tokyo 150-6032 (JP).
- (81) Designated States (national): CN, KR, SG, US.
- (84) Designated States (regional): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FL FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR).

Published:


with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HEAD CONTROL DEVICE AND IMAGE RECORDING APPARATUS



provided a (57) Abstract: There is head control device ableto re-charge an electromechanical transducing elementwith a driving pulse without requiring an additional re-charging time period in a recording period. The drivingsignal includes a plurality of driving pulses, and in each recording period, at least one driving pulseincludes a portion varying from a discharging level to amedium level to charge the piezoelectric element to ejecta liquid droplet, and a subsequent portion varying from he medium level to a target level to re-charge the piezoelectric element to the target level.



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11) EP 0 810 097 A1

(12)

EUROPEAN PATENT APPLICATION

published in accordance with Art. 158(3) EPC

(43) Date of publication: 03.12.1997 Bulletin 1997/49

(21) Application number: 96938521.0

(22) Date of filing: 21.11.1996

(51) Int. Cl.⁶: **B41J 2/205**, B41J 2/045, B41J 2/055

(86) International application number: PCT/JP96/03417

(87) International publication number:WO 97/18953 (29.05.1997 Gazette 1997/23)

(84) Designated Contracting States: **DE GB**

(30) Priority: 21.11.1995 JP 302623/95 24.01.1996 JP 10080/96


(71) Applicant: CITIZEN WATCH CO., LTD. Shlnjuku-Ku Tokyo 163-04 (JP) (72) Inventor:

YANAGAWA, Yoshihiko, c/o Citizen Watch Co., Ltd. Tokorozawa-shì, Saitaima 359 (JP)

(74) Representative:
Prüfer, Lutz H., Dipl.-Phys.
PRÜFER & PARTNER,
Patentanwälte,
Harthauser Strasse 25d
81545 München (DE)

(54) DRIVE CIRCUIT AND DRIVE METHOD FOR INK JET HEAD

(57)A circuit for driving an ink-jet head comprising a common driving waveform generation circuit 11 for generating a driving voltage signal, an analog/digital converter circuit 12 for converting the driving voltage signal into driving waveform data, a gradation data separation/accumulation circuit 13 for separating printing gradation data contained in printing data therefrom, accumulating therein the separated printing gradation data temporarily, and outputting the separated printing gradation data at a predetermined timing, a comparator circuit 14 for comparing the printing gradation data with the driving waveform data and outputting a comparison signal. The circuit further comprises a printing control circuit 15 for judging presence of an ink discharge instruction signal contained in the printing data and outputting a switch control signal, a switch control circuit 16 for making a logical product by the comparison signal and the switch control signal, and outputting an analog switch control signal, and a bidirectional analog switch for controlling conductivity of the driving voltage signal so as to drive the piezoelectric actuator in accordance with the analog switch control signal. As a result, volume of ink droplets discharged from a nozzle can be controlled to comply with a picture image with density gradation, and free vibrations generated in the piezoelectric actuator are damped to thereby obtain ink droplets with a constant speed regardless of the size of the ink droplets.



Printed by Xerox (Uk) Business Services

11 Publication number:

0 375 147 A2

(12)

EUROPEAN PATENT APPLICATION

21) Application number: 89311836.4

(s) Int. Cl.5 B41J 2/045

22 Date of filing: 15.11.89

Priority: 19.12.88 GB 8829567

Date of publication of application: 27.06.90 Bulletin 90/26

Designated Contracting States:
AT CH DE ES FR GB GR IT LI NL SE

Applicant: AM INTERNATIONAL INCORPORATED
 333 West Wacker Drive Suite 900 Chicago Illinois 60606-1265(US)

Inventor: Bartky, Walter Scott 5445 N. Sheridan Road Chicago Illinois 60640(US) Inventor: Temple, Stephen 66 Girton Road Cambridge CB3 OLN Cambridgeshire(GB)

(4) Representative: Coleman, Stanley et al MATHYS & SQUIRE 10 Fleet Street London EC4Y 1AY(GB)

Method of operating pulsed droplet deposition apparatus.

57 A method of operating a pulsed droplet deposition apparatus for ejecting a liquid droplet from a nozzle supplied by a liquid retaining chamber comprises applying a first pulse (37) to the liquid in the chamber of sufficient energy to effect ejection of a droplet from the nozzle and thereafter applying a second pulse (39) to the liquid in the chamber to ensure that the meniscus (41) of the body of liquid to which the droplet is attached is convex in the direction of motion of the droplet at the time of detachment of the droplet. The energy content of the second pulse is insufficient of itself to effect droplet ejection. When employed in a multi-channel array printhead, the pulses applied to channels of the array selected for printing are produced e.g. by deflecting side walls of the selected channels or by

applying heating pulses to liquid in the selected

Channels.

O U

37

35

39

FIG.6

Xerox Copy Centre

FIG.5

Europäisches Patentamt

European Patent Office

Office européen des brevets



EP 0 919 382 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication: 02.06.1999 Bulletin 1999/22

(51) Int CI 6 B41J 2/045

(11)

(21) Application number: 98309675.1

(22) Date of filing 25.11.1998

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

MC NL PT SE

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 28.11.1997 JP 327851/97 17.12.1997 JP 348182/97 17.12.1997 JP 348196/97

(71) Applicant: SONY CORPORATION Tokyo (JP)

(72) Inventors:

 Horii, Shinichi Shinagawa-ku, Tokyo (JP)

 Ikemoto, Yuichiro Shinagawa-ku, Tokyo (JP)

Yukita, Yasuo
 Shinagawa-ku, Tokyo (JP)

 Tokunaga, Hiroshi Shinagawa-ku, Tokyo (JP)

 Kishimoto, Masaki Shinagawa-ku, Tokyo (JP)

Yakura. Yuji
 Shinagawa-ku, Tokyo (JP)

 Tanikawa, Tooru Shinagawa-ku, Tokyo (JP)

 Nishi, Shota Shinagawa-ku, Tokyo (JP)


 Suzuki, Kenji Shinagawa-ku, Tokyo (JP)

(74) Representative: Ayers, Martyn Lewis Stanley
 J.A. KEMP & CO.
 14 South Square
 Gray's Inn
 London WC1R 5LX (GB)

(54) Apparatus and method for driving recording head for ink-jet printer

(57) An ink-jet printer and an apparatus and a method of driving a recording head for an ink-jet printer are provided for suppressing satellite droplets. Two piezoelectric elements are provided for every ink chamber corresponding to each nozzle. Timing of displacement of the piezoelectric elements is adjusted by applying a drive signal for ink droplet ejection to one of the piezo-

electric elements and a drive signal for suppressing satellite droplets when a droplet is ejected to the other piezoelectric element. An auxiliary pressure generated by the displacement of the latter piezoelectric element is superimposed on an ejection pressure generated by the displacement of the former piezoelectric element. Trailing of ink droplet is cut off at an early stage and generation of satellite droplets is suppressed.



Printed by Jouve, 75001 PARIS (FR)



(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2003/0160836 A1

Fukano et al.

Aug. 28, 2003 (43) Pub. Date:

(54) DEVICE AND METHOD FOR DRIVING JETTING HEAD

(75) Inventors: Takakazu Fukano, Nagano (JP); Noboru Tamura, Nagano (JP)

> Correspondence Address: SUGHRUE MION, PLLC 2100 Pennsylvania Avenue, NW Washington, DC 20037-3213 (US)

(73) Assignce: SEIKO EPSON CORPORATION

(21) Appl. No.:

10/356,740

(22) Filed:

Feb. 3, 2003

(30)Foreign Application Priority Data

Feb. 1, 2002 (JP) P2002-025978

Feb. 27, 2002 (JP) P2002-051596

Publication Classification

Int. Cl.⁷ B41J 29/38

ABSTRACT

There is disclosed a head driving device which drives a plurality of pressure generating elements for generating pressure fluctuation in a jetted object contained in each of associated pressure chambers formed in a jetting head of a jetting apparatus to eject the jetted object from each of nozzles communicated with the associated pressure chambers. In the device, a head driver generates a drive signal which is selectively applied to at least one of the pressure generating elements to be driven. A bias potential provider selectively applies a bias potential to at least one of the pressure generating elements not to be driven.

